Copper gasket, silver-plated, DN 25 CF

PFEIFFER

Copper gasket

PFEIFFER

Illustration only

Copper gasket, silver-plated, DN 25 CF

- For single use only

Dimensions



A	32.8 mm
B	25.5 mm
C	2 mm

Technical Data	Copper gasket, silver-plated, DN 25 CF
Materials in contact with media	OFHC Copper (Oxygen Free), silver-plated
Package	5 Pieces
Temperature range	196 – 450 °C
Connection flange	DN 25 CF
Pressure range	$1 \cdot 10^{-13}$ hPa – to ambient pressure
Temperature range max.	450 °C | 842 °F | 723.15 K
Temperature range min.	196 °C | 320.8 °F | 77.15 K

Order number	Copper gasket, silver-plated, DN 25 CF
Copper gasket, silver-plated, DN 25 CF	490DFL025-S-S5

Are you looking for an optimum vacuum solution?
Talk to us:
Pfeiffer Vacuum Components & Solutions GmbH Germany
T +49 551 99963-0
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:

https://webportal.pfeiffer-vacuum.com/global/en/contact

Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media
#pfeiffervacuum

www.pfeiffer-vacuum.com

PFEIFFER