



**Centering ring,
stainless steel
316L/1.4404, FKM,
DN 50 ISO-KF**



PFEIFFER 

Centering ring




Illustration only

Centering ring, stainless steel 316L/1.4404, FKM, DN 50 ISO-KF

- Material: O-ring in various materials

Dimensions



Technical Data

Centering ring, stainless steel 316L/1.4404, FKM, DN 50 ISO-KF

| | |
|---------------------------------|------------------------------------|
| Materials in contact with media | Stainless steel 1.4404 (AISI 316L) |
| O-ring material | FKM |
| Temperature range | 15 – 150 °C |
| Connection flange | DN 50 ISO-KF |
| Temperature range max. | 150 °C 302 °F 423.15 K |
| Temperature range min. | 15 °C 5 °F 258.15 K |

| Order number | Centering ring, stainless steel 316L/1.4404, FKM, DN 50 ISO-KF |
|--|--|
| Centering ring, stainless steel 316L/1.4404, FKM, DN 50 ISO-KF | 172ZRG050 |



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum Components & Solutions GmbH Germany

T +49 551 99963-0

info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 