



**Elastomer seal, FKM,  
DN 63 CF**

---



**PFEIFFER** 

# Elastomer seal




## Elastomer seal, FKM, DN 63 CF

- Reusable

Illustration only

### Dimensions



### Technical Data

Technical Data	Elastomer seal, FKM, DN 63 CF
Package	2 Pieces
O-ring material	FKM
Temperature range	15 - 150 °C
Connection flange	DN 63 CF
Pressure range	1 · 10 <sup>-8</sup> hPa - to ambient pressure
Temperature range max.	150 °C   302 °F   423.15 K
Temperature range min.	15 °C   5 °F   258.15 K

### Order number

Order number	Elastomer seal, FKM, DN 63 CF
Elastomer seal, FKM, DN 63 CF	402DFL063-S2



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?  
Talk to us:  
**Pfeiffer Vacuum Components & Solutions GmbH Germany**  
**T +49 551 99963-0**  
**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 