

Copper gasket, silver-plated, DN 250 CF



PFEIFFER 

Copper gasket

PFEIFFER 




Illustration only

Copper gasket, silver-plated, DN 250 CF

- For single use only

Dimensions



Technical Data

| Technical Data | Copper gasket, silver-plated, DN 250 CF |
|---------------------------------|--|
| Materials in contact with media | OFHC Copper (Oxygen Free), silver-plated |
| Package | 5 Pieces |
| Temperature range | 196 – 450 °C |
| Connection flange | DN 250 CF |
| Pressure range | $1 \cdot 10^{-13}$ hPa – to ambient pressure |
| Temperature range max. | 450 °C 842 °F 723.15 K |
| Temperature range min. | 196 °C 320.8 °F 77.15 K |

Order number

| Order number | Copper gasket, silver-plated, DN 250 CF |
|---|---|
| Copper gasket, silver-plated, DN 250 CF | 490DFL250-S-S5 |



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum Components & Solutions GmbH Germany

T +49 551 99963-0

info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 