



**Welded flange ring,
stainless steel
316L/1.4404,
DN 100 ISO-K, 2 mm**



PFEIFFER 


Welding flange ring



Illustration only

Welded flange ring, stainless steel 316L/1.4404, DN 100 ISO-K, 2 mm

Dimensions



| Technical Data | Welded flange ring, stainless steel 316L/1.4404, DN 100 ISO-K, 2 mm |
|---------------------------------|--|
| Materials in contact with media | Stainless steel 1.4404 (AISI 316L) |
| Pipe dimension | 104 mm × 2 mm |
| Temperature range | 196 – 350 °C |
| Connection flange | DN 100 ISO-K |
| Pressure range | 1 · 10 ⁻⁸ hPa – 1.5 · 10 ³ hPa over pressure (elastomer seal); 1 · 10 ⁻⁹ hPa – 1.5 · 10 ³ hPa over pressure (metal seal) |
| Temperature range max. | 350 °C 662 °F 623.15 K |
| Temperature range min. | 196 °C 320.8 °F 77.15 K |

| Order number | Welded flange ring, stainless steel 316L/1.4404, DN 100 ISO-K, 2 mm |
|--|--|
| Welded flange ring, stainless steel 316L/1.4404, DN 100 ISO-K, 2 mm | 370FAN100-104 |



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum Components & Solutions GmbH Germany

T +49 551 99963-0

info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 