



**Hose connector,  
aluminum, DN 16 ISO-  
KF, for 8 mm hose**

---



**PFEIFFER** 

# Hose connector

PFEIFFER 




Illustration only

## Hose connector, aluminum, DN 16 ISO-KF, for 8 mm hose

- Adapter for rubber hose (inner  $\varnothing$  8 mm)
- Fastener: Hose clamp (see accessories)

## Dimensions



<b>Technical Data</b>	<b>Hose connector, aluminum, DN 16 ISO-KF, for 8 mm hose</b>
Materials in contact with media	Aluminum 3.2315/EN AW-6082
Temperature range	196 – 150 °C
Connection flange	DN 16 ISO-KF
Material	Aluminum 3.2315/EN AW-6082
Temperature range max.	150 °C   302 °F   423.15 K
Temperature range min.	196 °C   320.8 °F   77.15 K

<b>Order number</b>	<b>Hose connector, aluminum, DN 16 ISO-KF, for 8 mm hose</b>
Hose connector, aluminum, DN 16 ISO-KF, for 8 mm hose	110ASC016-8



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?  
Talk to us:  
**Pfeiffer Vacuum Components & Solutions GmbH Germany**  
T +49 551 99963-0  
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 