



**Flange with NPT  
thread, female,  
stainless steel  
304/1.4301, DN 16 ISO-  
KF, G 1/8"**

---



**PFEIFFER** 

# Flange with NPT thread, female

PFEIFFER 





Illustration only

**Flange with NPT thread, female, stainless steel 304/1.4301, DN 16 ISO-KF, G 1/8"**

- Material: Stainless steel

## Dimensions



<b>Technical Data</b>	<b>Flange with NPT thread, female, stainless steel 304/1.4301, DN 16 ISO-KF, G 1/8"</b>
Materials in contact with media	Stainless steel 1.4301 (AISI 304)
Thread	1/8" NPT
Temperature range	196 – 300 °C
Connection flange	DN 16 ISO-KF
Temperature range max.	300 °C   572 °F   573.15 K
Temperature range min.	196 °C   320.8 °F   77.15 K

<b>Order number</b>	<b>Flange with NPT thread, female, stainless steel 304/1.4301, DN 16 ISO-KF, G 1/8"</b>
Flange with NPT thread, female, stainless steel 304/1.4301, DN 16 ISO-KF, G 1/8"	120ANF016-0125



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?

Talk to us:

**Pfeiffer Vacuum Components & Solutions GmbH Germany**

**T +49 551 99963-0**

**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 