



**Centering ring with
outer ring, stainless
steel 316Ti/1.4571, FKM,
DN 250 ISO-K**



PFEIFFER 

Centering ring with outer ring




Illustration only

Centering ring with outer ring, stainless steel 316Ti/1.4571, FKM, DN 250 ISO-K

- Aluminum outer ring
- Not to be used for the installation of turbo pumps! Use the fastening elements given in the corresponding operating instructions.

Dimensions



Technical Data

| Technical Data | Centering ring with outer ring, stainless steel 316Ti/1.4571, FKM, DN 250 ISO-K |
|------------------------|---|
| O-ring material | FKM |
| Temperature range | 15 - 150 °C |
| Connection flange | DN 250 ISO-K |
| Material | Stainless steel 316Ti / 1.4571 |
| Temperature range max. | 150 °C 302 °F 423.15 K |
| Temperature range min. | 15 °C 5 °F 258.15 K |

| Order number | Centering ring with outer ring, stainless steel 316Ti/1.4571, FKM, DN 250 ISO-K |
|---|--|
| Centering ring with outer ring, stainless steel 316Ti/1.4571, FKM, DN 250 ISO-K | 322ZRA250 |



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum Components & Solutions GmbH Germany

T +49 551 99963-0

info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 