



**Elastomer seal, FKM,  
DN 250 CF**

---



**PFEIFFER** 

# Elastomer seal

PFEIFFER 




Illustration only

## Elastomer seal, FKM, DN 250 CF

- Reusable

### Dimensions



Technical Data	Elastomer seal, FKM, DN 250 CF
Package	2 Pieces
O-ring material	FKM
Temperature range	15 – 150 °C
Connection flange	DN 250 CF
Pressure range	1 · 10 <sup>-8</sup> hPa – to ambient pressure
Temperature range max.	150 °C   302 °F   423.15 K
Temperature range min.	15 °C   5 °F   258.15 K

Order number	Elastomer seal, FKM, DN 250 CF
Elastomer seal, FKM, DN 250 CF	402DFL250-S2



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?

Talk to us:

**Pfeiffer Vacuum Components & Solutions GmbH Germany**

**T +49 551 99963-0**

**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 