



**Flange with NPT
thread, female,
stainless steel
304/1.4301, DN 25 ISO-
KF, G 1/4"**



PFEIFFER 

Flange with NPT thread, female

PFEIFFER 





Illustration only

Flange with NPT thread, female, stainless steel 304/1.4301, DN 25 ISO-KF, G 1/4"

- Material: Stainless steel

Dimensions



Technical Data	Flange with NPT thread, female, stainless steel 304/1.4301, DN 25 ISO-KF, G 1/4"
Materials in contact with media	Stainless steel 1.4301 (AISI 304)
Thread	1/4" NPT
Temperature range	196 – 300 °C
Connection flange	DN 25 ISO-KF
Temperature range max.	300 °C 572 °F 573.15 K
Temperature range min.	196 °C 320.8 °F 77.15 K

Order number	Flange with NPT thread, female, stainless steel 304/1.4301, DN 25 ISO-KF, G 1/4"
Flange with NPT thread, female, stainless steel 304/1.4301, DN 25 ISO-KF, G 1/4"	120ANF025-0250



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?
Talk to us:
Pfeiffer Vacuum Components & Solutions GmbH Germany
T +49 551 99963-0
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 