



Tee, stainless steel 304/1.4301, DN 250 ISO- K

PFEIFFER 


T-piece



Illustration only

Tee, stainless steel 304/1.4301, DN 250 ISO-K

Dimensions



Technical Data

Tee, stainless steel 304/1.4301, DN 250 ISO-K

| | |
|---------------------------------|--|
| Materials in contact with media | Stainless steel 1.4301 (AISI 304) |
| Temperature range | 196 – 300 °C |
| Connection flange | DN 250 ISO-K |
| Pressure range | $1 \cdot 10^{-8}$ hPa – $5 \cdot 10^2$ hPa over pressure (elastomer seal); $1 \cdot 10^{-9}$ hPa – $5 \cdot 10^2$ hPa over pressure (metal seal) |
| Temperature range max. | 300 °C 572 °F 573.15 K |
| Temperature range min. | 196 °C 320.8 °F 77.15 K |

| | |
|---|--|
| Order number | Tee, stainless steel 304/1.4301, DN 250 ISO-K |
| Tee, stainless steel 304/1.4301, DN 250 ISO-K | 320RTS250 |



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum Components & Solutions GmbH Germany

T +49 551 99963-0

info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 