



**Welded flange ring,  
stainless steel  
304/1.4301, DN 400 ISO-  
K**

---

**PFEIFFER** 


# Welding flange ring



Illustration only

## Welded flange ring, stainless steel 304/1.4301, DN 400 ISO-K

### Dimensions



### Technical Data

Technical Data	Welded flange ring, stainless steel 304/1.4301, DN 400 ISO-K
Materials in contact with media	Stainless steel 1.4301 (AISI 304)
Pipe dimension	406 mm × 3 mm
Temperature range	196 – 300 °C
Connection flange	DN 400 ISO-K
Pressure range	1 · 10 <sup>-8</sup> hPa – 1.5 · 10 <sup>3</sup> hPa over pressure (elastomer seal); 1 · 10 <sup>-9</sup> hPa – 1.5 · 10 <sup>3</sup> hPa over pressure (metal seal)
Temperature range max.	300 °C   572 °F   573.15 K
Temperature range min.	196 °C   320.8 °F   77.15 K

### Order number

Order number	Welded flange ring, stainless steel 304/1.4301, DN 400 ISO-K
Welded flange ring, stainless steel 304/1.4301, DN 400 ISO-K	320FAN400-406



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?  
Talk to us:  
**Pfeiffer Vacuum Components & Solutions GmbH Germany**  
**T +49 551 99963-0**  
**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 