



**Hose connector,
aluminum, DN 40 ISO-
KF, for 12 mm hose**



PFEIFFER 

Hose connector

PFEIFFER 




Illustration only

Hose connector, aluminum, DN 40 ISO-KF, for 12 mm hose

- Adapter for rubber hose (inner \varnothing 12 mm)
- Fastener: Hose clamp (see accessories)

Dimensions



Technical Data	Hose connector, aluminum, DN 40 ISO-KF, for 12 mm hose
Materials in contact with media	Aluminum 3.2315/EN AW-6082
Temperature range	196 – 150 °C
Connection flange	DN 40 ISO-KF
Material	Aluminum 3.2315/EN AW-6082
Temperature range max.	150 °C 302 °F 423.15 K
Temperature range min.	196 °C 320.8 °F 77.15 K

Order number	Hose connector, aluminum, DN 40 ISO-KF, for 12 mm hose
Hose connector, aluminum, DN 40 ISO-KF, for 12 mm hose	110ASC040-12



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?
Talk to us:
Pfeiffer Vacuum Components & Solutions GmbH Germany
T +49 551 99963-0
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 