

**Copper gasket, silver-plated, DN 16 CF**

---



**PFEIFFER** 

# Copper gasket




Illustration only

## Copper gasket, silver-plated, DN 16 CF

- For single use only

### Dimensions



Technical Data	Copper gasket, silver-plated, DN 16 CF
Materials in contact with media	OFHC Copper (Oxygen Free), silver-plated
Package	5 Pieces
Temperature range	196 - 450 °C
Connection flange	DN 16 CF
Pressure range	$1 \cdot 10^{-13}$ hPa - to ambient pressure
Temperature range max.	450 °C   842 °F   723.15 K
Temperature range min.	196 °C   320.8 °F   77.15 K

Order number	Copper gasket, silver-plated, DN 16 CF
Copper gasket, silver-plated, DN 16 CF	490DFL016-S-S5



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?  
Talk to us:  
**Pfeiffer Vacuum Components & Solutions GmbH Germany**  
**T +49 551 99963-0**  
**info-cs@pfeiffer-vacuum.com**

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media  
#pfeiffervacuum



[www.pfeiffer-vacuum.com](http://www.pfeiffer-vacuum.com)

**PFEIFFER** 