



**Blank flange, stainless
steel 304/1.4301,
DN 250 ISO-F**



PFEIFFER 

Blank flange




Illustration only

Blank flange, stainless steel 304/1.4301, DN 250 ISO-F

- Other flange materials available upon request
- Other flange sizes on request

Dimensions



Technical Data

Blank flange, stainless steel 304/1.4301, DN 250 ISO-F

Materials in contact with media	Stainless steel 1.4301 (AISI 304)
Number of screws	12 Pieces
Temperature range	196 – 300 °C
Connection flange	DN 250 ISO-F
Pressure range	1 · 10 ⁻⁸ hPa – 1.5 · 10 ³ hPa over pressure (elastomer seal); 1 · 10 ⁻⁹ hPa – 1.5 · 10 ³ hPa over pressure (metal seal)
Temperature range max.	300 °C 572 °F 573.15 K
Temperature range min.	196 °C 320.8 °F 77.15 K

Order number	Blank flange, stainless steel 304/1.4301, DN 250 ISO-F
Blank flange, stainless steel 304/1.4301, DN 250 ISO-F	520FBL250



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum Components & Solutions GmbH Germany

T +49 551 99963-0

info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 